






HY2137-02


BY HOAU BROTHER




HY2137-01




HY2137-03




HY2137-02




HY2137-05




HY2137-04




HY2137-22




HY2137-06




HY2137-07




HY2137-08




HY2137-09




HY2137-10




HY2137-11




HY2137-12




HY2137-13




HY2137-14




HY2137-15




HY2137-18




HY2137-17




HY2137-16



HY2137-20



HY2137-21



HY2137-19

技术检测 (Tec.)	检测标准 (TS.)	项目 (Unit.)		测试结果 (Test Result)	
耐水色牢度 (CFTW.)	AATCC107:2002 GB/T5713-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐汗色牢度 (CFTP.)	AATCC15:2002 GB/T3922-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐洗色牢度 (CFTW.)	ISO 105-C03:1989 GB/T3921.3-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
干湿摩擦色牢度 (CFTR.)	AATCC8:2002 GB/T3920-1997	干-Dry	湿-Wet	Grade	4
		干-Dry	湿-Wet	等级	4
抗摩擦坚牢度 (Ab.Re)	ASTM D4966-98 Martindale 12Kpa			rubs	50000转

colour 22

材质(Comp):100%涤纶(PL)

克重(Weight):230gsm

幅宽(Width):200cm

备注:我司面料未含阻燃,阻燃需外加工.



Company Information

Contact		
	(Phone)	0757-23870666 23636258
	(Fax)	0757-23875234 23873536
	(E-mail)	xiaowensu@hoaubrother.com
	(Web)	www.hoaubrother.com
	(Add)	顺德•龙江 精美路18号世博汇A座4楼(华宇总部) 亚洲国际A区一排29-32号(华宇旗舰店) No. 29-32,A area, Asia international materials city,Long Jiang, Shunde,Foshan, Guangdong, China,Post Code 528318



扫描二维码, 关注华宇兄弟

• 产品数据为真实检测数据 •