






HY2147-19

BY HOAU BROTHER




HY2147-19




HY2147-01



HY2147-02



HY2147-03




HY2147-04




HY2147-05



HY2147-08



HY2147-07



HY2147-06



HY2147-09



HY2147-10



HY2147-11




HY2147-14



HY2147-13




HY2147-12




HY2147-15




HY2147-16




HY2147-17




HY2147-20



HY2147-22



HY2147-21




HY2147-18




HY2147-23




HY2147-24




HY2147-25




HY2147-26



HY2147-29




HY2147-28




HY2147-27




HY2147-30




HY2147-31




HY2147-32



HY2147-35



HY2147-34



HY2147-33



技术检测 (Tec.)	检测标准 (TS.)	项目 (Unit.)		测试结果 (Test Result)	
耐水色牢度 (CFTW.)	AATCC107:2002 GB/T5713-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐汗色牢度 (CFTP.)	AATCC15:2002 GB/T3922-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐洗色牢度 (CFTW.)	ISO 105-C03:1989 GB/T3921.3-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
干湿摩擦色牢度 (CFTR.)	AATCC8:2002 GB/T3920-1997	干-Dry	湿-Wet	Grade	4
		干-Dry	湿-Wet	等级	4
抗摩擦坚牢度 (Ab.Re)	ASTM D4966-98 Martindale 12Kpa			rubs	50000转

colour 35

材质(Comp):100%涤纶(PL)

克重(Weight):270gsm

幅宽(Width):160cm

备注:我司面料未含阻燃,阻燃需外加工.



Company Information

Contact		
	(Phone)	0757-23870666 23636258
	(Fax)	0757-23875234 23873536
	(E-mail)	xiaowensu@hoaubrother.com
	(Web)	www.hoaubrother.com
	(Add)	顺德•龙江 精美路18号世博汇A座4楼(华宇总部) 亚洲国际A区一排29-32号(华宇旗舰店) No. 29-32,A area, Asia international materials city,Long Jiang, Shunde,Foshan, Guangdong, China,Post Code 528318



扫描二维码, 关注华宇兄弟

• 产品数据为真实检测数据 •