





HY2095-03

BY HOAU BROTHER




HY2095-03



HY2095-01




HY2095-02




HY2095-04




HY2095-05




HY2095-06




HY2095-07




HY2095-11




HY2095-08




HY2095-09



HY2095-10




HY2095-17



HY2095-18



HY2095-19




HY2095-21




HY2095-35




HY2095-20




HY2095-22



HY2095-34



HY2095-20




HY2095-28



HY2095-31




HY2095-23



HY2095-27



HY2095-33



HY2095-24



HY2095-25



HY2095-12




HY2095-25



HY2095-29



HY2095-13



HY2095-26




HY2095-30




HY2095-16



HY2095-14



HY2095-32



HY2095-15



华宇兄弟®
— HOAU BROTHER —

WOWTEX®
New trendy. New technology.





华宇兄弟®
— HOAU BROTHER —

WOWTEX®
New trendy. New technology.



技术检测 (Tec.)	检测标准 (TS.)	项目 (Unit.)		测试结果 (Test Result)	
耐水色牢度 (CFTW.)	AATCC107:2002 GB/T5713-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐汗色牢度 (CFTP.)	AATCC15:2002 GB/T3922-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
耐洗色牢度 (CFTW.)	ISO 105-C03:1989 GB/T3921.3-1997	污染-Srain	褪色-Fading	Grade	4
		污染-Srain	褪色-Fading	等级	4
干湿摩擦色牢度 (CFTR.)	AATCC8:2002 GB/T3920-1997	干-Dry	湿-Wet	Grade	4
		干-Dry	湿-Wet	等级	4
抗摩擦坚牢度 (Ab.Re)	ASTM D4966-98 Martindale 12Kpa			rubs	50000转

colour 35

材质:80%涤纶+20%阳离子

克重:310g/m²

幅宽:152cm

备注:我司面料未含阻燃,阻燃需外加工.



Company Information

Contact		
☎ (Phone)	0757-23870666	23636258
☎ (Fax)	0757-23875234	23873536
✉ (E-mail)	xiaowensu@hoaubrother.com	
🌐 (Web)	www.hoaubrother.com	
📍 (Add)	顺德·龙江	精美路18号世博汇A座4楼(华宇总部) 亚洲国际A区一排29-32号(华宇旗舰店)



扫描二维码, 关注华宇兄弟

• 产品数据为真实检测数据 •